



## Safety Data Sheet

acc. to OSHA HCS

Printing date 01/31/2018

Reviewed on 01/31/2018

### 1 Identification

· **Product identifier**

· **Product name: Propanil 10 µg/mL in Cyclohexane**

· **Part number:** DRE-L16410000CY

· **Application of the substance / the mixture** Reference material for laboratory use only

· **Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

VHG Labs, Inc

LGC Standards

276 Abby Road

Manchester, NH 03103

UNITED STATES OF AMERICA

Tel : +1 (603) 622-7660

Fax : +1 (603) 622-5180

eMail : [custsvc@vhglabs.com](mailto:custsvc@vhglabs.com)

Web : [www.vhglabs.com](http://www.vhglabs.com)

· **Information department:**

Product safety department

eMail : [sds-request@lgcgroup.com](mailto:sds-request@lgcgroup.com)

· **Emergency telephone number:**

INFOTRAC 24-hour Emergency telephone number:

800-535-5053 (US & Canada);

352-323-3500 (International)

### 2 Hazard(s) identification

· **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 2      H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Asp. Tox. 1      H304 May be fatal if swallowed and enters airways.



GHS09 Environment

Aquatic Acute 1      H400 Very toxic to aquatic life.

Aquatic Chronic 1      H410 Very toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2      H315 Causes skin irritation.

STOT SE 3      H336 May cause drowsiness or dizziness.

(Contd. on page 2)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 01/31/2018

Reviewed on 01/31/2018

**Product name: Propanil 10 µg/mL in Cyclohexane**

(Contd. of page 1)

**· Label elements****· GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

**· Hazard pictograms**

GHS02 GHS07 GHS08 GHS09

**· Signal word Danger****· Hazard-determining components of labeling:**

Cyclohexane

**· Hazard statements**

H225 Highly flammable liquid and vapor.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

**· Precautionary statements**

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 If swallowed: Immediately call a poison center/doctor.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**· Classification system:****· NFPA ratings (scale 0 - 4)**

Health = 1

Fire = 3

Reactivity = 0

**· HMIS-ratings (scale 0 - 4)**

Health = 1

Fire = 3

Reactivity = 0

**· Other hazards****· Results of PBT and vPvB assessment**

· PBT: Not applicable.

(Contd. on page 3)

US



## Safety Data Sheet

acc. to OSHA HCS

Printing date 01/31/2018

Reviewed on 01/31/2018

**Product name: Propanil 10 µg/mL in Cyclohexane**

(Contd. of page 2)

· vPvB: Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description: Mixture: consisting of the following components.**

**· Dangerous components:**

CAS: 110-82-7 RTECS: GU 6300000	Cyclohexane Flam. Liq. 2, H225; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; STOT SE 3, H336	>99%
CAS: 709-98-8 RTECS: UE 4900000	propanil (ISO) Aquatic Acute 1, H400; Acute Tox. 4, H302	<0.1%

### 4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:**  
Rinse mouth. Do not induce vomiting.  
Immediately call a doctor.
- **Information for doctor:**  
· **Most important symptoms and effects, both acute and delayed** No further relevant information available.  
· **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)

US



## Safety Data Sheet

acc. to OSHA HCS

Printing date 01/31/2018

Reviewed on 01/31/2018

**Product name: Propanil 10 µg/mL in Cyclohexane**

(Contd. of page 3)

**· Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

**· Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

**· Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**· Protective Action Criteria for Chemicals****· PAC-1:**

110-82-7	Cyclohexane	300 ppm
----------	-------------	---------

**· PAC-2:**

110-82-7	Cyclohexane	1700 ppm
----------	-------------	----------

**· PAC-3:**

110-82-7	Cyclohexane	10000 ppm
----------	-------------	-----------

### 7 Handling and storage

**· Handling:**

· **Precautions for safe handling** Store in cool, dry place in tightly closed receptacles.

**· Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

**· Conditions for safe storage, including any incompatibilities****· Storage:****· Requirements to be met by storerooms and receptacles:**

Please refer to the manufacturers certificate for specific storage and transport temperature conditions.

Store only in the original receptacle.

Keep container in a well-ventilated place. Keep away from sources of ignition and heat.

**· Information about storage in one common storage facility: Store away from foodstuffs.****· Further information about storage conditions:**

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

**· Specific end use(s) No further relevant information available.**

### 8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

(Contd. on page 5)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 01/31/2018

Reviewed on 01/31/2018

**Product name: Propanil 10 µg/mL in Cyclohexane**

(Contd. of page 4)

**Control parameters****Components with limit values that require monitoring at the workplace:**

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

**110-82-7 Cyclohexane**PEL Long-term value: 1050 mg/m<sup>3</sup>, 300 ppmREL Long-term value: 1050 mg/m<sup>3</sup>, 300 ppmTLV Long-term value: 344 mg/m<sup>3</sup>, 100 ppm**Additional information:** The lists that were valid during the creation were used as basis.**Exposure controls****Personal protective equipment:****General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

**Breathing equipment:**

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

**Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374



Protective gloves

**Material of gloves** Nitrile rubber, NBR**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye protection:**

Tightly sealed goggles

US

(Contd. on page 6)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 01/31/2018

Reviewed on 01/31/2018

**Product name: Propanil 10 µg/mL in Cyclohexane**

(Contd. of page 5)

### 9 Physical and chemical properties

· *Information on basic physical and chemical properties*

· *General Information*

· *Appearance:*

· <i>Form:</i>	<i>Liquid</i>
· <i>Color:</i>	<i>Colorless</i>
· <i>Odor:</i>	<i>Alcohol-like</i>
· <i>Odor threshold:</i>	<i>Not determined.</i>

· *pH-value:* *Not determined.*

· *Change in condition*

· <i>Melting point/Melting range:</i>	<i>6.4 °C (43.5 °F)</i>
· <i>Boiling point/Boiling range:</i>	<i>65 °C (149 °F)</i>

· *Flash point:* *12 °C (53.6 °F)*

· *Flammability (solid, gaseous):* *Not determined.*

· *Ignition temperature:* *260 °C (500 °F)*

· *Decomposition temperature:* *Not determined.*

· *Auto igniting:* *Product is not selfigniting.*

· *Danger of explosion:* *Product is not explosive. However, formation of explosive air/vapor mixtures are possible.*

· *Explosion limits:*

· <i>Lower:</i>	<i>1.2 Vol %</i>
· <i>Upper:</i>	<i>8.3 Vol %</i>

· *Vapor pressure at 20 °C (68 °F):* *104 hPa (78 mm Hg)*

· *Density at 20 °C (68 °F):* *0.8 g/cm<sup>3</sup> (6.676 lbs/gal)*

· *Relative density* *Not determined.*

· *Vapor density* *Not determined.*

· *Evaporation rate* *Not determined.*

· *Solubility in / Miscibility with*

· *Water at 20 °C (68 °F):* *0.05 g/l*

· *Partition coefficient (n-octanol/water):* *Not determined.*

· *Viscosity:*

· *Dynamic:* *Not determined.*

· *Kinematic:* *Not determined.*

· *Other information* *No further relevant information available.*

### 10 Stability and reactivity

· *Reactivity* *Stable under normal conditions.*

· *Chemical stability* *Stable under normal conditions.*

(Contd. on page 7)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 01/31/2018

Reviewed on 01/31/2018

**Product name: Propanil 10 µg/mL in Cyclohexane**

(Contd. of page 6)

- **Thermal decomposition / conditions to be avoided:**  
Formation of toxic gases is possible during heating or in case of fire.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid**  
Sources of ignition  
Heat.
- **Incompatible materials:** Strong oxidizing agents.
- **Hazardous decomposition products:** Formation of toxic gases is possible during heating or in case of fire.

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

**110-82-7 Cyclohexane**

Oral LD50 12,705 mg/kg (rat)

- **Primary irritant effect:**
  - **on the skin:** Irritant to skin and mucous membranes.
  - **on the eye:** Based on available data, the classification criteria are not met.
- **Sensitization:** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

### 12 Ecological information

- **Toxicity**

- **Aquatic toxicity:**

**110-82-7 Cyclohexane**

LC50/96 h 42.3 mg/l (fish)

- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.

(Contd. on page 8)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 01/31/2018

Reviewed on 01/31/2018

**Product name: Propanil 10 µg/mL in Cyclohexane**

(Contd. of page 7)

- **Ecotoxicological effects:**
- **Remark:** Very toxic for fish
- **Additional ecological information:**
- **General notes:**  
Water hazard class 2 (Self-assessment): hazardous for water  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.  
Also poisonous for fish and plankton in water bodies.  
Very toxic for aquatic organisms
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Dispose in accordance with national regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport information

- **UN-Number**
- **DOT, ADR, IMDG, IATA** UN1145
- **DOT** Cyclohexane mixture
- **ADR** 1145 Cyclohexane mixture, ENVIRONMENTALLY HAZARDOUS
- **IMDG** CYCLOHEXANE mixture, MARINE POLLUTANT
- **IATA** CYCLOHEXANE mixture

- **Transport hazard class(es)**

- **DOT**



- **Class** 3 Flammable liquids

(Contd. on page 9)

US

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 01/31/2018

Reviewed on 01/31/2018

**Product name: Propanil 10 µg/mL in Cyclohexane**

(Contd. of page 8)

**· Label** 3**· ADR, IMDG****· Class** 3 Flammable liquids**· Label** 3**· IATA****· Class** 3 Flammable liquids**· Label** 3**· Packing group****· DOT, ADR, IMDG, IATA** II**· Environmental hazards:** Product contains environmentally hazardous substances:  
Cyclohexane**· Marine pollutant:** Yes (DOT)  
Symbol (fish and tree)**· Special marking (ADR):** Symbol (fish and tree)**· Special precautions for user** Warning: Flammable liquids**· Danger code (Kemler):** 33**· EMS Number:** F-E,S-D**· Stowage Category** E**· Transport in bulk according to Annex II of  
MARPOL73/78 and the IBC Code** Not applicable.**· Transport/Additional information:****· DOT****· Remarks:** Special marking with the symbol (fish and tree).**· ADR****· Excepted quantities (EQ)** Code: E2  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 500 ml**· UN "Model Regulation":** UN 1145 CYCLOHEXANE MIXTURE, 3, II,  
ENVIRONMENTALLY HAZARDOUS

US

(Contd. on page 10)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 01/31/2018

Reviewed on 01/31/2018

**Product name: Propanil 10 µg/mL in Cyclohexane**

(Contd. of page 9)

### 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

**· Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

**· Section 313 (Specific toxic chemical listings):**

All ingredients are listed.

**· TSCA (Toxic Substances Control Act):**

110-82-7 Cyclohexane

**· TSCA new (21st Century Act) (Substances not listed)**

709-98-8 propanil (ISO)

**· Proposition 65****· Chemicals known to cause cancer:**

None of the ingredients is listed.

**· Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

**· Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

**· Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

**· Carcinogenic categories****· EPA (Environmental Protection Agency)**

110-82-7 Cyclohexane

I

**· TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

**· NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

**· GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

**· Hazard pictograms**

GHS02

GHS07

GHS08

GHS09

**· Signal word Danger****· Hazard-determining components of labeling:**

Cyclohexane

(Contd. on page 11)

US



## Safety Data Sheet

acc. to OSHA HCS

Printing date 01/31/2018

Reviewed on 01/31/2018

**Product name: Propanil 10 µg/mL in Cyclohexane**

(Contd. of page 10)

**· Hazard statements**

- H225 Highly flammable liquid and vapor.
- H315 Causes skin irritation.
- H336 May cause drowsiness or dizziness.
- H304 May be fatal if swallowed and enters airways.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

**· Precautionary statements**

- P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P310 If swallowed: Immediately call a poison center/doctor.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**· Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

The information in this Safety Data Sheet meets the requirements of the United States OCCUPATIONAL SAFETY AND HEALTH ACT and regulations promulgated thereunder (29 CFR 1910.1200 et. seq.) This document is intended only as a guide to the appropriate precautionary handling of the material by a person trained in, or supervised by a person trained in, chemical handling. The user is responsible for determining the application. Depending on usage, protective clothing including eye and face guards and respirators must be used to avoid contact with material or breathing chemical vapors/fumes. Exposure to this product may have serious adverse health effects. This chemical may interact with other substances. Since the potential uses are so varied, we cannot warn of all of the potential dangers of use or interaction with other chemicals or materials. We warrant that the chemical meets the specifications set forth on the label. We (LGC/VHG/ARMI) disclaim any other warranties, expressed or implied with regard to the product supplied hereunder, its merchantability or its fitness for a particular purpose. The user should recognize that this product can cause severe injury and even death, especially if improperly handled or the known dangers of use are not heeded. Read all precautionary information.

**· Date of preparation / last revision 01/31/2018 / -****· Abbreviations and acronyms:**

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 12)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 01/31/2018

Reviewed on 01/31/2018

**Product name: Propanil 10 µg/mL in Cyclohexane**

(Contd. of page 11)

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

· **Sources**

Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID.

- **Data compared to the previous version altered.** All sections have been updated.

US